


SRS

雙龍  
50  
years

# INNOVATING FITNESS MOVEMENT







SINCE

1973

Established in 1973, with more than 50 years of solid experience, SRS is one of the leading OEM/ODM fitness equipment and auto parts manufacturers in the world. We have supplied our various and complete range of products to customers worldwide and dedicated itself to serving as a partner for our customers. Our history has taken our tradition and strength to you, acknowledged for our quality, reliability and service. We are committed to study, to develop, to manufacture new fitness equipment with the best solution.



## HIIT

|          |      |
|----------|------|
| IT-1000U | P.06 |
| IT-2000U | P.07 |
| A-800    | P.08 |
| A-801U   | P.09 |
| A-802    | P.10 |
| A-803    | P.11 |
| R-900G   | P.12 |
| R-902T   | P.13 |
| R-903T   | P.14 |
| R-903G   | P.15 |

## INDOOR CYCLING

|       |      |
|-------|------|
| S-850 | P.16 |
| S-860 | P.17 |
| S-851 | P.18 |
| S-852 | P.19 |

## TREADMILL SERIES

|         |      |
|---------|------|
| TA-760A | P.21 |
| TA-770  | P.22 |
| TA-775  | P.23 |
| TA-785  | P.24 |
| TA-790  | P.25 |

## AEROBIC SERIES

|         |      |
|---------|------|
| A-1100G | P.27 |
| A-2100G | P.28 |
| A-3100G | P.29 |
| A-5100G | P.30 |

## DESIGN SERIES

|        |      |
|--------|------|
| TA-776 | P.32 |
| TA-786 | P.33 |
| A-1200 | P.34 |
| A-2200 | P.35 |
| A-5200 | P.36 |

## SPECIFICATION

P.38-45





# ***HIIT & INDOOR CYCLING*** **SERIES**





# IT-1000U

## MULTI TRAINER

### FEATURES

#### RESISTANCE SYSTEM

Magnetic + Air

#### QUICK CONTROL

10 Interval Programs

#### RESISTANCE LEVEL

12 Levels

### PATENTS

Utility Models  
Granted Invention



7" LCD



# IT-2000U

## TRAINING MILL

### FEATURES

#### RESISTANCE SYSTEM

Magnetic + Air

#### RESISTANCE LEVEL

7 Levels

### PATENTS

Utility Models  
Granted Invention



5" LCD



# A800

## AIR BIKE

### FEATURES

RESISTANCE SYSTEM

Air

### PATENTS

Utility Models



5.5" LCD





# A801U

## AIR BIKE

### FEATURES

RESISTANCE SYSTEM  
Air

### PATENTS

Utility Models



5.5" LCD



# A802

## AIR BIKE

### FEATURES

#### RESISTANCE SYSTEM

Magnetic + Air

### PATENTS

Utility Models



#### ▲ OPTIONAL POWER

3V (AA size battery X2)





# A803

## AIR BIKE

### FEATURES

#### RESISTANCE SYSTEM

Magnetic + Air

### PATENTS

Utility Models



#### ▲ OPTIONAL POWER

3V (AA size battery X2)

# R900G

## POWER ROWER

### FEATURES

#### RESISTANCE SYSTEM

Generator + Air

#### WATT

200W

#### RESISTANCE LEVEL

10 Levels

### PATENTS

Utility Models  
Granted Invention



7" LCD + Backlit

Patented Folding Design





# R902T

## AIR ROWER

### FEATURES

#### RESISTANCE SYSTEM

Magnetic + Air

#### WATT

200W

#### RESISTANCE LEVEL

12 Levels

### PATENTS

Designs  
Utility Models  
Granted Invention



Patented Folding Design



5.5" LCD

# R903T

## POWER ROWER

### FEATURES

#### RESISTANCE SYSTEM

Magnetic

#### WATT

200W

#### RESISTANCE LEVEL

12 Levels

### PATENTS

Utility Models  
Granted Invention



5.5" LCD





# R903G

## POWER ROWER

### FEATURES

**RESISTANCE SYSTEM**  
MOTOR

**WATT**  
200W

**RESISTANCE LEVEL**  
12 Levels

### PATENTS

Utility Models  
Granted Invention



5.5" LCD



# S850

## INDOOR CYCLING

### FEATURES

RESISTANCE SYSTEM

Magnetic

### PATENTS

Utility Models

**S850B**

NO CONSOLE



**S850U**

**POWER**

3V (AA size battery X2)



**S850G**

**POWER**

SELF-POWERED GENERATOR  
BACK-LIT  
REAL WATT READER



# S860

## INDOOR CYCLING

### FEATURES

RESISTANCE SYSTEM

Magnetic

### PATENTS

Utility Models

**S860B**

NO CONSOLE



**S860U**

**POWER**

3V (AA size battery X2)



**S860G**

**POWER**

SELF-POWERED GENERATOR  
BACK-LIT  
REAL WATT READER





# S851

## INDOOR CYCLING

### FEATURES

#### RESISTANCE SYSTEM

Friction brake

#### RESISTANCE LEVEL

12 Levels



#### ▲ OPTIONAL POWER

3V (AA size battery X2)



# S852

## INDOOR CYCLING

### FEATURES

#### RESISTANCE SYSTEM

Magnetic

#### RESISTANCE LEVEL

12 Levels



#### ▲ OPTIONAL POWER

3V (AA size battery X2)



# *TREADMILL SERIES*



# TA-760A

## MOTORIZED TREADMILL

### FEATURES

#### MOTOR

AC 3.0 CHP

#### SPEED RANGE

0.5 - 20 km/h

0.3 - 12 mph

#### INCLINE

0 - 15 %



9" LCD ( blue backlit )



# TA-770

## MOTORIZED TREADMILL

### FEATURES

#### MOTOR

AC 2.5 CHP

#### SPEED RANGE

0.5 - 22 km/h

0.3 - 13 mph

#### INCLINE

0 - 15 %



9" LCD ( blue backlit )



# TA-775

## MOTORIZED TREADMILL

### FEATURES

#### MOTOR

AC 2.5 CHP

#### SPEED RANGE

0.5 - 22 km/h

0.3 - 13 mph

#### INCLINE

0 - 15 %



9" LCD + LED ( blue backlit )





# TA-785

## MOTORIZED TREADMILL

### FEATURES

#### MOTOR

AC 3.0 CHP

#### SPEED RANGE

0.5 - 24 km/h

0.3 - 15 mph

#### INCLINE

0 - 15 %



9" LCD + LED ( blue backlit )



# TA-790

## MOTORIZED TREADMILL

### FEATURES

#### MOTOR

AC 5.0 CHP

#### SPEED RANGE

0.5 - 24 km/h

0.3 - 15 mph

#### INCLINE

0 - 15 %



9" LCD + LED ( blue backlit )



19" TFT







# *AEROBIC SERIES*







# A-1100G

## UPRIGHT BIKE

### FEATURES

#### RESISTANCE SYSTEM

Hybrid Generator Brake

#### WATT

280W

#### RESISTANCE LEVEL

36 Levels



7" LCD



# A-2100G

## RECUMBENT BIKE

### FEATURES

#### RESISTANCE SYSTEM

Hybrid Generator Brake

#### WATT

280W

#### RESISTANCE LEVEL

36 Levels



7" LCD



# A-3100G

## STEPPER

### FEATURES

#### RESISTANCE SYSTEM

Hybrid Generator Brake

#### WATT

250W

#### RESISTANCE LEVEL

20 Levels



7" LCD



# A-5100G

## CROSS TRAINER

### FEATURES

#### RESISTANCE SYSTEM

Hybrid Generator Brake

#### WATT

430W

#### RESISTANCE LEVEL

36 Levels



7" LCD





*DESIGN SERIES*

# TA-776

## MOTORIZED TREADMILL

### FEATURES

#### MOTOR

AC 2.0 CHP

#### SPEED RANGE

0.5 - 22 km/h

0.3 - 13 mph

#### INCLINE

0 - 15 %



19" TFT



15.6" TFT



LED / WHITE



# TA-786

## MOTORIZED TREADMILL

### FEATURES

#### MOTOR

AC 3.0 CHP

#### SPEED RANGE

0.5 - 24 km/h / 0.3 - 15 mph

#### INCLINE

0 - 15 %

### PATENTS

Utility Models  
Granted Invention



19" TFT



15.6" TFT



LED / WHITE



# A-1200

## UPRIGHT BIKE

### FEATURES

#### RESISTANCE SYSTEM

Hybrid Generator Brake / EMS

#### WATT

300W / 350W

#### RESISTANCE LEVEL

36 Levels



15.6" TFT



LED / WHITE

# A-2200

## RECUMBENT BIKE

### FEATURES

#### RESISTANCE SYSTEM

Hybrid Generator Brake / EMS

#### WATT

300W / 350W

#### RESISTANCE LEVEL

36 Levels



15.6" TFT



LED / WHITE







# A-5200

## CROSS TRAINER

### FEATURES

#### RESISTANCE SYSTEM

Hybrid Generator Brake / EMS

#### WATT

450W

#### RESISTANCE LEVEL

36 Levels



15.6" TFT



LED / WHITE

# SPECIFICATION



# SPEC.

P.06



P.07



P.08



P.09



P.10



P.11



| FEATURES                   | IT-1000U                            | IT-2000U                             | A800                                | A801U                               | A802                                  | A803                                |
|----------------------------|-------------------------------------|--------------------------------------|-------------------------------------|-------------------------------------|---------------------------------------|-------------------------------------|
| Resistance system          | Magnetic + Air                      | Magnetic + Air                       | Air                                 | Air                                 | Magnetic + Air                        | Magnetic + Air                      |
| Watt                       | —                                   | —                                    | —                                   | 250 W                               | 250 W                                 | 250 W                               |
| Resistance Level           | 12                                  | 7                                    | —                                   | —                                   | 12                                    | 12                                  |
| Flywheel                   | —                                   | 15 kgs / 33 lbs                      | —                                   | —                                   | 12.5 kgs / 27.6 lbs                   | 12.5 kgs / 27.6 lbs                 |
| Transportation wheel       | —                                   | —                                    | ●                                   | ●                                   | ●                                     | ●                                   |
| Adjustable foot strap      | —                                   | —                                    | ●                                   | ●                                   | ●                                     | ●                                   |
| Rail                       | —                                   | —                                    | —                                   | —                                   | —                                     | —                                   |
| CONSOLE                    |                                     |                                      |                                     |                                     |                                       |                                     |
| Display                    | 7" LCD                              | 5" LCD                               | 5.5" LCD                            | 5.5" LCD                            | ▲ 5" LCD                              | ▲ 5" LCD                            |
| Programs                   | 5                                   | 4                                    | 1 Manual + 5 Programs               | 1 Manual + 5 Programs               | 4                                     | 4                                   |
| Build-in HR receiver       | ●                                   | ●                                    | ●                                   | ●                                   | ●                                     | ●                                   |
| Power                      | 3V ( AA size battery X 2 )          | 3V ( AA size battery X 2 )           | 3V ( AA size battery X 2 )          | 3V ( AA size battery X 2 )          | ▲ 3V ( AA size battery X 2 )          | ▲ 3V ( AA size battery X 2 )        |
| Quick control              | ●                                   | ●                                    | 5 Interval Programs                 | 5 Interval Programs                 | —                                     | —                                   |
| DIMENSION                  |                                     |                                      |                                     |                                     |                                       |                                     |
| Max. User weight           | 180 kgs / 396 lbs                   | 180 kgs / 396 lbs                    | 150 kgs / 330 lbs                   | 150 kgs / 330 lbs                   | 150 kgs / 330 lbs                     | 150 kgs / 330 lbs                   |
| Assembly size              | 106 X 98 X 248 cm / 42" X 39" X 98" | 208 X 137 X 173 cm / 82" X 54" X 68" | 138 X 75 X 148 cm / 54" X 29" X 58" | 140 X 75 X 147 cm / 55" X 30" X 58" | 137 X 65 X 115 cm / 54" X 25.6" X 45" | 137 X 56 X 114 cm / 54" X 22" X 45" |
| Assembly weight            | 230 kgs / 507 lbs                   | 158 kgs / 348 lbs                    | 71 kgs / 157 lbs                    | 55.6 kgs / 123 lbs                  | 68 kgs / 150 lbs                      | 60 kgs / 132 lbs                    |
| Shipping weight            | 250 kgs / 551 lbs                   | 170 kgs / 375 lbs                    | 78 kgs / 172 lbs                    | 62.8 kgs / 138 lbs                  | 76 kgs / 168 lbs                      | 68 kgs / 150 lbs                    |
| Loading Q'ty ( 20' / 40' ) | 21 / 42 sets                        | 18 / 36 sets                         | 58 / 126 sets                       | 62 / 129 sets                       | 48 / 108 sets                         | 48 / 108 sets                       |



STANDARD



NOT AVAILABLE



OPTIONAL



# SPEC.



| FEATURES                   | A851                                    | A852                                    | R900G                              | R902T                               | R903T                                  | R903G      |
|----------------------------|-----------------------------------------|-----------------------------------------|------------------------------------|-------------------------------------|----------------------------------------|------------|
| Resistance system          | Friction brake                          | Magnetic                                | Generator + Air                    | Magnetic + Air                      | Magnetic                               | Motor      |
| Watt                       | 250 W                                   | 250 W                                   | 200 W                              | 200 W                               | 200 W                                  | 200 W      |
| Resistance Level           | 12                                      | 12                                      | 10                                 | 12                                  | 12                                     | 12         |
| Flywheel                   | 18 kgs / 40 lbs                         | 12.5 kgs / 27.6 lbs                     | 7.3 kgs / 16 lbs                   | —                                   | BLDC Motor                             | BLDC Motor |
| Transportation wheel       | ●                                       | ●                                       | ●                                  | ●                                   | ●                                      | ●          |
| Adjustable foot strap      | ●                                       | ●                                       | ●                                  | ●                                   | ●                                      | ●          |
| Rail                       | —                                       | —                                       | Aluminum rail                      | Aluminum rail                       | ●                                      | ●          |
| CONSOLE                    |                                         |                                         |                                    |                                     |                                        |            |
| Display                    | 5" LCD                                  | 5" LCD                                  | 7" LCD + Backlit                   | 5.5" LCD                            | 5.5" LCD                               | 5.5" LCD   |
| Programs                   | 4                                       | 4                                       | 1 Manual + 7 Programs              | 3                                   | 3                                      | 3          |
| Build-in HR receiver       | ●                                       | ●                                       | ●                                  | ●                                   | ●                                      | ●          |
| Power                      | 3V ( AA size battery X 2 )              | 3V ( AA size battery X 2 )              | Self-powered generator             | 3V ( AA size battery X 2 )          | 3V ( AA size battery X 2 )             | —          |
| Quick control              | —                                       | —                                       | —                                  | —                                   | —                                      | —          |
| DIMENSION                  |                                         |                                         |                                    |                                     |                                        |            |
| Max. User weight           | 150 kgs / 330 lbs                       | 150 kgs / 330 lbs                       | 150 kgs / 330 lbs                  | 150 kgs / 330 lbs                   | 150 kgs / 330 lbs                      |            |
| Assembly size              | 121 X 111 X 56 cm / 47.6" X 43.7" X 22" | 121 X 111 X 56 cm / 47.6" X 43.7" X 22" | 235X 50 X 135 cm / 92" X 20" X 53" | 259X 53 X 125 cm / 102" X 21" X 49" | 227X 109 X 47.6 cm / 89" X 43" X 18.7" |            |
| Assembly weight            | 54.7 kgs / 121 lbs                      | 51.3 kgs / 113 lbs                      | 65 kgs / 143 lbs                   | 59 kgs / 130 lbs                    | 41 kgs / 90 lbs                        |            |
| Shipping weight            | 61 kgs / 134 lbs                        | 57.6 kgs / 127 lbs                      | 74 kgs / 163 lbs                   | 68 kgs / 150 lbs                    | 48 kgs / 106 lbs                       |            |
| Loading Q'ty ( 20' / 40' ) | 82 / 176 sets                           | 82 / 176 sets                           | 40 / 88 sets                       | 60 / 124 sets                       | 84 / 172 sets                          |            |

● STANDARD    — NOT AVAILABLE    ▲ OPTIONAL

# SPEC.

P.21



P.22



P.23



| FEATURES                   | TA-760A                             | TA-770                              | TA-775                              |
|----------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Motor                      | AC 3.0 CHP                          | AC 2.5 CHP                          | AC 2.5 CHP                          |
| Speed range                | 0.5 - 20 km/h / 0.3 - 12 mph        | 0.5 - 22 km/h / 0.3 - 13 mph        | 0.5 - 22 km/h / 0.3 - 13 mph        |
| Incline                    | 0 - 15 %                            | 0 - 15 %                            | 0 - 15 %                            |
| Roller size                | Ø63.5 mm / 2.5"                     | Ø67 mm / 2.6"                       | Ø67 mm / 2.6"                       |
| Running surface            | 55.4 X 156.1 cm / 22" X 62"         | 56.4 X 155 cm / 22" X 61"           | 56.4 X 155 cm / 22" X 61"           |
| Belt thickness             | 2.0 mm ( 2ply )                     | 2.5 mm ( 4ply )                     | 2.5 mm ( 4ply )                     |
| Deck thickness             | 25.4 mm / 1"                        | 25.4 mm / 1"                        | 25.4 mm / 1"                        |
| Shock absorption           | 8 dampers                           | 8 dampers                           | 8 dampers                           |
| Auto belt alignment        | ●                                   | ●                                   | ●                                   |
| Reading rack               | ●                                   | ●                                   | ●                                   |
| Storage buckets            | ●                                   | ●                                   | ●                                   |
| CONSOLE                    |                                     |                                     |                                     |
| Display                    | 9" LCD ( blue backlit )             | 9" LCD ( blue backlit )             | 9" LCD ( blue backlit )             |
| TFT display                | —                                   | —                                   | —                                   |
| Build-in HR receiver       | ●                                   | ●                                   | ●                                   |
| Quick control              | ●                                   | ●                                   | ●                                   |
| Audio Jack                 | Line - in                           | Line - in                           | Line - in ( LCD )                   |
| Cellphone charging         | ●                                   | ●                                   | ●                                   |
| Speakers                   | ●                                   | ●                                   | ●                                   |
| Personal fan               | ●                                   | ●                                   | ●                                   |
| Contact HR grips           | ●                                   | ●                                   | ●                                   |
| Workout tracking           | ●                                   | ●                                   | ●                                   |
| DIMENSION                  |                                     |                                     |                                     |
| Max. User weight           | 150 kgs / 330 lbs                   | 170 kgs / 375 lbs                   | 170 kgs / 375 lbs                   |
| Assembly size              | 203 X 90 X 150 cm / 80" X 35" X 59" | 215 X 90 X 150 cm / 85" X 35" X 59" | 215 X 90 X 156 cm / 84" X 35" X 61" |
| Assembly weight            | 150 kgs / 330 lbs                   | 155 kgs / 341 lbs                   | 157 kgs / 346 lbs                   |
| Shipping weight            | 163 kgs / 359 lbs                   | 177 kgs / 390 lbs                   | 180 kgs / 397 lbs                   |
| Loading Q'ty ( 20' / 40' ) | 36 / 72 sets                        | 23 / 48 sets                        | 22 / 45 sets                        |



STANDARD



NOT AVAILABLE



OPTIONAL

# SPEC.

P.32



P.24



P.33



P.25



| FEATURES                   | TA-776                              | TA-785                                 | TA-786                                 | TA-790                                 |
|----------------------------|-------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|
| Motor                      | AC 2.0 CHP                          | AC 3.0 CHP                             | AC 3.0 CHP                             | AC 5.0 CHP                             |
| Speed range                | 0.5 - 22 km/h / 0.3 - 13.6 mph      | 0.5 - 24 km/h / 0.3 - 15 mph           | 0.5 - 24 km/h / 0.3 - 15 mph           | 0.5 - 24 km/h / 0.3 - 15 mph           |
| Incline                    | 0 - 15 %                            | 0 - 15 %                               | 0 - 15 %                               | 0 - 15 %                               |
| Roller size                | Ø70 mm / 2.75"                      | Ø76 mm / 3.0"                          | Ø76 mm / 3.0"                          | Ø89 mm / 3.5"                          |
| Running surface            | 60X 152 cm / 23" X 60"              | 58 X 155 cm / 23" X 61"                | 60 X 152 cm / 23" X 60"                | 58.7 X 155 cm / 23" X 61"              |
| Belt thickness             | 1.5~3.0 mm                          | 3.0 mm ( 4ply )                        | 3.0 mm ( 4ply )                        | 3.0 mm ( 4ply )                        |
| Deck thickness             | 25.4 mm / 1"                        | 25.4 mm / 1"                           | 25.4 mm / 1"                           | 25.4 mm / 1"                           |
| Shock absorption           | 6 dampers                           | 8 dampers                              | 8 dampers                              | 8 dampers                              |
| Auto belt alignment        | ●                                   | ●                                      | ●                                      | ●                                      |
| Reading rack               | ●                                   | ●                                      | ●                                      | ●                                      |
| Storage buckets            | ●                                   | ●                                      | ●                                      | ●                                      |
| CONSOLE                    |                                     |                                        |                                        |                                        |
| Display                    | LED / TFT                           | 9" LCD + LED                           | LED                                    | 8" LCD + LED                           |
| TFT display                | ▲ ( 15.6" / 19" )                   | —                                      | ▲ ( 15.6" / 19" )                      | ▲ ( 19" )                              |
| Build-in HR receiver       | ●                                   | ●                                      | ●                                      | ●                                      |
| Quick control              | ●                                   | ●                                      | ●                                      | ●                                      |
| Audio Jack                 | Line - out ( TFT )                  | Line - out ( TFT ) / Line - in ( LED ) | Line - out ( TFT ) / Line - in ( LED ) | Line - out ( TFT ) / Line - in ( LED ) |
| Cellphone charging         | ●                                   | ●                                      | ●                                      | ●                                      |
| Speakers                   | ● ( TFT ) / — ( LED )               | ●                                      | ●                                      | ●                                      |
| Personal fan               | ●                                   | ●                                      | ●                                      | ●                                      |
| Contact HR grips           | ●                                   | ●                                      | ●                                      | ●                                      |
| Workout tracking           | ●                                   | ●                                      | ●                                      | ●                                      |
| DIMENSION                  |                                     |                                        |                                        |                                        |
| Max. User weight           | 170 kgs / 375 lbs                   | 180 kgs / 397 lbs                      | 180 kgs / 397 lbs                      | 180 kgs / 397 lbs                      |
| Assembly size              | 198 X 89 X 166 cm / 78" X 35" X 65" | 215 X 90 X 156 cm / 85" X 35" X 61"    | 215 X 93 X 165 cm / 85" X 37" X 65"    | 222 X 97 X 161 cm / 87" X 38" X 63"    |
| Assembly weight            | 160 kgs / 352.7 lbs                 | 185 kgs / 407 lbs                      | 188 kgs / 415 lbs                      | 197 kgs / 434 lbs                      |
| Shipping weight            | 181 kgs / 399 lbs                   | 208 kgs / 459 lbs                      | 208 kgs / 458 lbs                      | 218 kgs / 482 lbs                      |
| Loading Q'ty ( 20' / 40' ) | 25 / 72 sets                        | 22 / 45 sets                           | 23 / 46 sets                           | 20 / 42 sets                           |



STANDARD



NOT AVAILABLE



OPTIONAL



# SPEC.

P.27



P.28



P.29



P.30



| FEATURES                   | A-1100G                             | A-2100G                             | A-3100G                             | A-5100G                             |
|----------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Resistance system          | Hybrid Generator Brake              | Hybrid Generator Brake              | Hybrid Generator Brake              | Hybrid Generator Brake              |
| Watt                       | 280 W                               | 280 W                               | 250 W                               | 430 W                               |
| Resistance Level           | 36                                  | 36                                  | 20                                  | 36                                  |
| Flywheel                   | 10 kgs / 22 lbs                     | 10 kgs / 22 lbs                     | 10 kgs / 22 lbs                     | 10 kgs / 22 lbs                     |
| Seat Adjustment levels     | 24                                  | 13                                  | —                                   | —                                   |
| CONSOLE                    |                                     |                                     |                                     |                                     |
| Display                    | 7" LCD ( blue backlit )             | 7" LCD ( blue backlit )             | 7" LCD ( blue backlit )             | 7" LCD ( blue backlit )             |
| TFT display                | —                                   | —                                   | —                                   | —                                   |
| Programs                   | 15                                  | 15                                  | 15                                  | 15                                  |
| Quick Start                | ●                                   | ●                                   | ●                                   | ●                                   |
| Audio jack                 | Line - in ( LCD )                   | Line - in ( LCD )                   | Line - in                           | Line - in ( LCD )                   |
| Cellphone charging         | ●                                   | ●                                   | ●                                   | ●                                   |
| Speakers                   | ●                                   | ●                                   | ●                                   | ●                                   |
| Personal fan               | ●                                   | ●                                   | ●                                   | ●                                   |
| Contact HR grips           | ●                                   | ●                                   | ●                                   | ●                                   |
| DIMENSION                  |                                     |                                     |                                     |                                     |
| Max. User weight           | 150 kgs / 330 lbs                   | 150 kgs / 330 lbs                   | 150 kgs / 330 lbs                   | 150 kgs / 330 lbs                   |
| Assembly size              | 123 X 65 X 144 cm / 48" X 26" X 57" | 175 X 68 X 125 cm / 69" X 27" X 49" | 119 X 83 X 163 cm / 47" X 33" X 64" | 217 X 71 X 163 cm / 85" X 28" X 64" |
| Assembly weight            | 59 kgs / 130 lbs                    | 83.5 kgs / 184 lbs                  | 98 kgs / 216 lbs                    | 128 kgs / 282 lbs                   |
| Shipping weight            | 63 kgs / 139 lbs                    | 90 kgs / 198 lbs                    | 111 kgs / 245 lbs                   | 148.5 kgs / 327 lbs                 |
| Loading Q'ty ( 20' / 40' ) | 70 / 144 sets                       | 57 / 117 sets                       | 34 / 80 sets                        | 22 / 46 sets                        |



STANDARD



NOT AVAILABLE



OPTIONAL

# SPEC.



P.34



P.35



P.36

| FEATURES                   | A-1200E                            | A-1200G                | A-2200E                             | A-2200G                | A-5200E                             | A-5200G                |
|----------------------------|------------------------------------|------------------------|-------------------------------------|------------------------|-------------------------------------|------------------------|
| Resistance system          | EMS                                | Hybrid Generator Brake | EMS                                 | Hybrid Generator Brake | EMS                                 | Hybrid Generator Brake |
| Watt                       | 350 W                              | 300 W                  | 350 W                               | 300 W                  | 450 W                               | 450 W                  |
| Resistance Level           | 36                                 | 36                     | 36                                  | 36                     | 36                                  | 36                     |
| Flywheel                   | 10 kgs / 22 lbs                    | 10 kgs / 22 lbs        | 10 kgs / 22 lbs                     | 10 kgs / 22 lbs        | 10 kgs / 22 lbs                     | 10 kgs / 22 lbs        |
| Voltage                    | 100 V ~ 220 V                      | —                      | 100 V ~ 220 V                       | —                      | 100 V ~ 220 V                       | —                      |
| CONSOLE                    |                                    |                        |                                     |                        |                                     |                        |
| Display                    | —                                  | LED                    | —                                   | LED                    | —                                   | LED                    |
| TFT display                | TFT 15.6                           | —                      | TFT 15.6                            | —                      | TFT 15.6                            | —                      |
| Programs                   | 21                                 | 13                     | 21                                  | 13                     | 21                                  | 13                     |
| Build-in HR receiver       | ●                                  | ●                      | ●                                   | ●                      | ●                                   | ●                      |
| Quick control              | ●                                  | ●                      | ●                                   | ●                      | ●                                   | ●                      |
| Audio jack                 | LINE - OUT                         | —                      | LINE - OUT                          | —                      | LINE - OUT (TFT)                    | —                      |
| IPOD charging              | ●                                  | —                      | ●                                   | —                      | ●                                   | —                      |
| Personal Fan               | ●                                  | ●                      | ●                                   | ●                      | ●                                   | ●                      |
| Speakers                   | ●                                  | —                      | ●                                   | —                      | ●                                   | —                      |
| Contact HR grips           | ●                                  | ●                      | ●                                   | ●                      | ●                                   | ●                      |
| DIMENSION                  |                                    |                        |                                     |                        |                                     |                        |
| Max. User weight           | 150 kgs / 330 lbs                  |                        | 150 kgs / 330 lbs                   |                        | 150 kgs / 330 lbs                   |                        |
| Assembly size              | 118 X 69 X 150cm / 46" X 27" X 59" |                        | 177 X 68 X 129 cm / 69" X 27" X 50" |                        | 208 X 70 X 168 cm / 82" X 28" X 66" |                        |
| Assembly weight            | 65 kgs / 143 lbs                   |                        | 82 kgs / 180 lbs                    |                        | 117.5 kgs / 259 lbs                 |                        |
| Shipping weight            | 77.1 kgs / 170 lbs                 |                        | 102 kgs / 224 lbs                   |                        | 142.5 kgs / 314 lbs                 |                        |
| Loading Q'ty ( 20' / 40' ) | 70 / 144 sets                      |                        | 57 / 117 sets                       |                        | 22 / 46 sets                        |                        |



STANDARD



NOT AVAILABLE



OPTIONAL

# SPEC.

P.16



P.16



P.16



| FEATURES                   | S850B                               | S850U                               | S850G                               |
|----------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Drive system               | Poly - V Belt                       | Poly - V Belt                       | Poly - V Belt                       |
| Resistance system          | Magnetic                            | Magnetic                            | Magnetic                            |
| Flywheel                   | 16.5 kgs / 36 lbs                   | 16.5 kgs / 36 lbs                   | 16.5 kgs / 36 lbs                   |
| Handlebar adjustable       | Fore - Aft & Up - Down              | Fore - Aft & Up - Down              | Fore - Aft & Up - Down              |
| Seat adjustable            | Fore - Aft & Up - Down              | Fore - Aft & Up - Down              | Fore - Aft & Up - Down              |
| Adjustable foot strap      | ●                                   | ●                                   | ●                                   |
| Q-Factor                   | 170 mm / 6.7"                       | 170 mm / 6.7"                       | 170 mm / 6.7"                       |
| CONSOLE                    |                                     |                                     |                                     |
| Display                    | —                                   | 5" LCD                              | 5" LCD + Backlit                    |
| Programs                   | —                                   | Standard                            | Premium                             |
| Watt                       | —                                   | ●                                   | Real Watt Reader                    |
| Resistance Level           | 7 Levels                            | 7 Levels                            | 7 Levels                            |
| Build-in HR receiver       | —                                   | ●                                   | ●                                   |
| Power                      | —                                   | 3V ( AA size battery X 2 )          | Self - powered generator            |
| Wi-Fi                      | —                                   | —                                   | —                                   |
| Bluetooth                  | —                                   | —                                   | —                                   |
| QR code                    | —                                   | —                                   | —                                   |
| ACCESSORY                  |                                     |                                     |                                     |
| IPad rack                  | ▲                                   | ▲                                   | ●                                   |
| Professional handlebar     | ▲                                   | ▲                                   | ●                                   |
| Seat                       | Standard                            | Standard                            | Premium                             |
| Cassette pedals            | ▲                                   | ▲                                   | ▲                                   |
| Rear stabilizer            | Standard                            | Standard                            | Premium                             |
| BB module + ISIS           | ▲                                   | ▲                                   | ▲                                   |
| DIMENSION                  |                                     |                                     |                                     |
| Max. User weight           | 150 kgs / 330 lbs                   | 150 kgs / 330 lbs                   | 150 kgs / 330 lbs                   |
| Assembly size              | 118 X 53 X 109 cm / 46" X 21" X 43" | 118 X 53 X 109 cm / 46" X 21" X 43" | 120 X 53 X 109 cm / 47" X 21" X 43" |
| Assembly weight            | 61.5 kgs / 136 lbs                  | 62.5 kgs / 138 lbs                  | 65 kgs / 143 lbs                    |
| Shipping weight            | 66.5 kgs / 147 lbs                  | 67.5 kgs / 149 lbs                  | 70.8 kgs / 156 lbs                  |
| Loading Q'ty ( 20' / 40' ) | 92 / 188 sets                       | 92 / 188 sets                       | 92 / 188 sets                       |



STANDARD



NOT AVAILABLE



OPTIONAL



# SPEC.

P.17



P.17



P.17



| FEATURES                   | S860B                               | S860U                               | S860G                               |
|----------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Drive system               | Poly - V Belt                       | Poly - V Belt                       | Poly - V Belt                       |
| Resistance system          | Magnetic                            | Magnetic                            | Magnetic                            |
| Flywheel                   | 16.5 kgs / 36 lbs                   | 16.5 kgs / 36 lbs                   | 16.5 kgs / 36 lbs                   |
| Handlebar adjustable       | Fore - Aft & Up - Down              | Fore - Aft & Up - Down              | Fore - Aft & Up - Down              |
| Seat adjustable            | Fore - Aft & Up - Down              | Fore - Aft & Up - Down              | Fore - Aft & Up - Down              |
| Adjustable foot strap      | ●                                   | ●                                   | ●                                   |
| Q-Factor                   | 170 mm / 6.7"                       | 170 mm / 6.7"                       | 170 mm / 6.7"                       |
| CONSOLE                    |                                     |                                     |                                     |
| Display                    | —                                   | 5" LCD                              | 5" LCD + Backlit                    |
| Programs                   | —                                   | Standard                            | Premium                             |
| Watt                       | —                                   | ●                                   | Real Watt Reader                    |
| Resistance Level           | 7 Levels                            | 7 Levels                            | 7 Levels                            |
| Build-in HR receiver       | —                                   | ●                                   | ●                                   |
| Power                      | —                                   | 3V ( AA size battery X 2 )          | Self - powered generator            |
| Wi-Fi                      | —                                   | —                                   | —                                   |
| Bluetooth                  | —                                   | —                                   | —                                   |
| QR code                    | —                                   | —                                   | —                                   |
| ACCESSORY                  |                                     |                                     |                                     |
| IPad rack                  | ▲                                   | ▲                                   | ●                                   |
| Professional handlebar     | ▲                                   | ▲                                   | ●                                   |
| Seat                       | Standard                            | Standard                            | Premium                             |
| Cassette pedals            | ▲                                   | ▲                                   | ▲                                   |
| Rear stabilizer            | Standard                            | Standard                            | Premium                             |
| BB module + ISIS           | ▲                                   | ▲                                   | ▲                                   |
| DIMENSION                  |                                     |                                     |                                     |
| Max. User weight           | 150 kgs / 330 lbs                   | 150 kgs / 330 lbs                   | 150 kgs / 330 lbs                   |
| Assembly size              | 126 X 53 X 109 cm / 50" X 21" X 43" | 126 X 53 X 109 cm / 50" X 21" X 43" | 127 X 53 X 109 cm / 50" X 21" X 43" |
| Assembly weight            | 59.6 kgs / 131 lbs                  | 61.5 kgs / 135 lbs                  | 63.6 kgs / 140 lbs                  |
| Shipping weight            | 66.1 kgs / 145 lbs                  | 67.6 kgs / 149 lbs                  | 69.8 kgs / 153 lbs                  |
| Loading Q'ty ( 20' / 40' ) | 80 / 160 sets                       | 80 / 160 sets                       | 80 / 160 sets                       |



STANDARD



NOT AVAILABLE



OPTIONAL

**Great Fitness Industrial Co., LTD.**

No. 39, Shalun, Chung Sha Vil., Anding Dist.,  
Tainan City, 74555, Taiwan

TEL +886 (6) 5933811  
FAX +886 (6) 5930036



[www.srsgreat.com.tw](http://www.srsgreat.com.tw)

